

TAP A NEW ENERGY CLASS



MILANO OVERVIEW

Multidecks

Ultra-panoramic version of Milano, low-temperature combined remote cabinet. Keeping unchanged its renown multi-use characteristic, the display area of the doors has been increased of 40 mm thanks to extra height and removing the perimeter aluminium profile.



MILANO OVERVIEW HG 1E

MILANO OVERVIEW - Multidecks

Power supply

Remote

Climatic classes

3 L1



Available colours

- 1015
- 1021
- 2011
- 3002
- 3020
- 5005
- 5012
- 6018
- 7035
- 7037
- 9006
- 9010
- 9011

Exhibition categories



Frozen food

Standard features

- 2/3 Tier shelving with priceholder
- Electric defrost
- Expansion valve
- Grey ABS bumper
- Terminal board
- Ultrabright doors with antifog foil
- Ultrapanoramic glasses

Accessories

- Base Grids
- CO2 refrigeration system
- EC Fans
- Electronic control
- Electronic valve
- Internal and external RAL colours
- LED lighting
- Movable and fix divider
- Night covers
- Sliding lids
- Stainless steel bumper


Available dimensions

- | | |
|--------------------------------|------------------------|
| External depth (mm) | 1126 |
| Front Height (mm) | 932 |
| Height (mm) | 2050;2160 |
| Length without side walls (mm) | 1875;2500;3750;Headcas |
| Shelves' rows (N°) | 2/3 |
| Thickness side walls (mm) | 80+80 |


A SELECTION FROM OUR INSTALLATION




CROSS SECTIONS




MILANO H205 HG P



MILANO H216 HG P



MILANO H216 HG



MILANO H205 HG



Pastorfrigor S.p.A.

Reg. Gabannone, 4 Z.I. · 15033 Terruggia (AL) · Italy
Tel. +39 0142 433 711 · Fax +39 0142 433 701 · info@pastorfrigor.it
P.IVA IT00578270068 | REA AL-00578270068
www.pastorfrigor.it