

# TAP A NEW ENERGY CLASS



# MILANO OVERVIEW

## Multidecks

Ultra-panoramic version of Milano, low-temperature combined remote cabinet. Keeping unchanged its renown multi-use characteristic, the display area of the doors has been increased of 40 mm thanks to extra height and removing the perimeter aluminium profile.



# MILANO OVERVIEW HG 1E

## MILANO OVERVIEW - Multidecks

### Power supply

Remote

### Climatic classes

3 L1



### Available colours

1015

1021

2011

3002

3020

5005

5012

6018

7035

7037

9006

9010

9011

### Exhibition categories



Frozen food

### Standard features

2/3 Tier shelving with priceholder  
Electric defrost  
Expansion valve  
Grey ABS bumper  
Terminal board  
Ultrabright doors with antifog foil  
Ultrapanoramic glasses

### Accessories

Base Grids  
CO2 refrigeration system  
EC Fans  
Electronic control  
Electronic valve  
Internal and external RAL colours  
LED lighting  
Movable and fix divider  
Night covers  
Sliding lids  
Stainless steel bumper

### Available dimensions


External depth (mm)	1126
Front Height (mm)	932
Height (mm)	2050;2160
Length without side walls (mm)	1875;2500;3750;Headcas
Shelves' rows (N°)	2/3
Thickness side walls (mm)	80+80

# A SELECTION FROM OUR INSTALLATION


---




# CROSS SECTIONS




MILANO H205 HG P



MILANO H216 HG P



MILANO H216 HG



MILANO H205 HG



**Pastorfrigor S.p.A.**

Reg. Gabannone, 4 Z.I. · 15033 Terruggia (AL) · Italy  
Tel. +39 0142 433 711 · Fax +39 0142 433 701 · [info@pastorfrigor.it](mailto:info@pastorfrigor.it)  
P.IVA IT00578270068 | REA AL-00578270068  
[www.pastorfrigor.it](http://www.pastorfrigor.it)