

TAP A NEW ENERGY CLASS



MILANO OVERVIEW

Multidecks

Ultra-panoramic version of Milano, low-temperature combined remote cabinet. Keeping unchanged its renown multi-use characteristic, the display area of the doors has been increased of 40 mm thanks to extra height and removing the perimeter aluminium profile.



MILANO OVERVIEW HG 1E

MILANO OVERVIEW - Multidecks

Power supply

Remote

Climatic classes

3 L1



Available colours

1015

1021

2011

3002

3020

5005

5012

6018

7035

7037

9006

9010

9011

Exhibition categories



Frozen food

Standard features

2/3 Tier shelving with priceholder
Electric defrost
Expansion valve
Grey ABS bumper
Terminal board
Ultrabright doors with antifog foil
Ultrapanoramic glasses

Accessories

Base Grids
CO2 refrigeration system
EC Fans
Electronic control
Electronic valve
Internal and external RAL colours
LED lighting
Movable and fix divider
Night covers
Sliding lids
Stainless steel bumper


Available dimensions

External depth (mm)	1126
Front Height (mm)	932
Height (mm)	2050;2160
Length without side walls (mm)	1875;2500;3750;Headcas
Shelves' rows (N°)	2/3
Thickness side walls (mm)	80+80


A SELECTION FROM OUR INSTALLATION




CROSS SECTIONS




MILANO H205 HG P



MILANO H216 HG P



MILANO H216 HG



MILANO H205 HG



Pastorfrigor S.p.A.

Reg. Gabannone, 4 Z.I. · 15033 Terruggia (AL) · Italy
Tel. +39 0142 433 711 · Fax +39 0142 433 701 · info@pastorfrigor.it
P.IVA IT00578270068 | REA AL-00578270068
www.pastorfrigor.it