

# TAP A NEW ENERGY CLASS



# LEM H150

## Multidecks

The semi vertical LEM H 150 is part of the LEM family and is a flexible display, mainly created for Grab&Go, used on different type of stores and for various uses: displaying drinks, snacks, sandwiches, packaged fruit and cured meats. It is with built in unit R290 and produced in lengths 625, 937, 1250, 1875 and 2500 mm. The LEM h150 can also be produced in the remote with valve version for connection to a central unit, working with the most common refrigerants and also in Co2.



# LEM H150

## LEM H150 - Multidecks

### Power supply

Plug in



### Exhibition categories



Chilled drinks



Dairy, milk, cheese



Delicatessen



Food to go



Fruit and vegetables



Impulse



Sausages & salami



Snacks / Sandwiches

### Standard features

- 3 shelves with priceholders
- Electronic control
- Fan assisted cooling
- LED lighting
- R290 gas
- The islands with different temperatures can be joined using a middle plexi divider
- White internal body

### Accessories


- Controller for electronic valve
- Base Grids
- CO2 refrigeration system
- Draining kit
- Electronic valve
- Front glass
- Internal and external RAL colours
- Manual night blind
- Shelf lighting LED
- Stainless steel bumper
- Wooden Crate

### Available dimensions

External depth (mm)	726
Front Height (mm)	504
Height (mm)	1500
Length without side walls (mm)	625,937,1250,1875,2500
Shelves' depth (mm)	400+300+250
Shelves' rows (N°)	3
Thickness side walls (mm)	32

# CROSS SECTIONS

---



# LEM H150

## LEM H150 - Multidecks

### Power supply

Plug in



### Available colours

1015

1021

2011

3002

3020

5005

5012

6018

7035

7037

9006

9010

9011

### Exhibition categories



Chilled drinks



Dairy, milk, cheese



Delicatessen



Food to go



Fruit and vegetables



Impulse



Sausages & salami



Snacks / Sandwiches

### Standard features

- 3 shelves with priceholders
- Electronic control
- Fan assisted cooling
- LED lighting
- R290 gas
- The islands with different temperatures can be joined using a middle plexi divider
- White internal body

### Accessories

- Controller for electronic valve
- Base Grids
- CO2 refrigeration system
- Draining kit
- Electronic valve
- Front glass
- Internal and external RAL colours
- Manual night blind
- Shelf lighting LED
- Stainless steel bumper
- Wooden Crate

### Available dimensions

External depth (mm)	726
Front Height (mm)	504
Height (mm)	1500
Length without side walls (mm)	625,937,1250,1875,2500
Shelves' depth (mm)	400+300+250
Shelves' rows (N°)	3
Thickness side walls (mm)	32


# A SELECTION FROM OUR INSTALLATION

---



# CROSS SECTIONS

---





**Pastorfrigor S.p.A.**

Reg. Gabannone, 4 Z.I. · 15033 Terruggia (AL) · Italy  
Tel. +39 0142 433 711 · Fax +39 0142 433 701 · [info@pastorfrigor.it](mailto:info@pastorfrigor.it)  
P.IVA IT00578270068 | REA AL-00578270068  
[www.pastorfrigor.it](http://www.pastorfrigor.it)